



DSS-UC Series

UnderCounter Type Electric Water Heaters

SPECIFICATIONS

- Vertical Floor Mounted
- 35 liter/49 liter
- T&P Valve (USA)
- Thermostat (ITALY)
- Heating Element (ITALY)
- Inner Tank 304L Quality Stainless Steel
- (30 – 65°C) internal thermostat control
- 55°C factory default temperature setting
- 1.2 kW heater power
- 127 V – 240 V (mono phase)
- 50 Hz, 60Hz frequency
- Electrostatic Powder Paint Coated Body
- Stylish Design
- 2 years product guarantee
- 1 year heating element guarantee
- 10 years spare parts supply guarantee

Diko Electrical Equipments Ind. and Trade Corp.

IMES Sanayi Sitesi B Blok. 206 Sok. No:6 ZIP Code:37775

Dudullu - ISTANBUL / TURKEY

Phone:+90216 3142626 Fax:+90216 4204901

www.diko.com.tr

info@diko.com.tr



TECHNICAL SPECIFICATIONS :


MODEL	DSS- UC -30	DSS- UC -50
Capacity (lt.)	35	49
Heater Power (W)	1200 W	1200 W
Voltage / Frequency	127/240V AC, 50/60 HZ	127/240V AC, 50/60 HZ
Water Temperature Adjustment Range	30-65°C	30-65°C
Water Temperature Control and Thermal Insulation	Fixed Thermostat 55C	Fixed Thermostat 55C
Inlet- Outlet Connections	1/2"	1/2"
Maximum Operating Pressure	6 bar	6 bar
Safety Valves	T&P Relief valve	T&P Relief valve
Protection against electric shock	IP X4	IP X4
Corrosion Protection	Magnesium Anode	Magnesium Anode
Heating Time (Min.)	75	105
Diameter (mm)	360	360
Height (mm)	500	630

Diko reserves the right of changing the dimensions and models without announcing.


Heating time datas specified above are given for $\Delta T=37^{\circ}\text{C}$.

It is a recommended to install a filter for efficient operation of your products!

PRODUCT TECHNICAL DETAIL



35 Liters DSS-UC-30 Series



49 Liters DSS-UC-50 Series

Diko Electrical Equipments Ind. and Trade Corp.

IMES Sanayi Sitesi B Blok. 206 Sok. No:6 ZIP Code:37775

Dudullu - ISTANBUL / TURKEY

Phone:+90216 3142626 Fax:+90216 4204901

www.diko.com.tr

info@diko.com.tr